



STEINERT KSS

> THE Sensor Solution

STEINERT KSS – THE Sensor Solution

An extensive range – lots of solutions for you. STEINERT is a full-range supplier offering all standard technologies in the form of products extending from state-of-the-art magnetic separators to the most innovative sensor sorters of the STEINERT KSS family. The individual sensors of the products within the STEINERT KSS family can be combined with one another to form independent solutions, either immediately or in the course of a machine upgrade.

TECHNOLOGY

THE form recognition – hits the spot

The new modular structure of the STEINERT KSS units is reflected in the STEINERT KSS 3D. The 3D laser recognizes the position and size of the parts to be separated with millimetre precision. Additional material properties can also be recognized by means of induction or colour cameras (e.g. STEINERT KSS 3D Induction).

Single or multiple items of information acquired by the combination of various sensors enable a wide range of applications: They can sort minerals by colour or other optical properties, sort cable and circuit boards from WEEE or air-bag containers from aluminium scrap.

Regardless of whether you use them to ensure or boost your product quality, form recognition makes possible the appropriate precision. STEINERT KSS 3D stands out as a globally unique technical solution in the company's product portfolio.


MODELS

The STEINERT KSS family

Various recognition possibilities match themselves to your needs: Whether it's the STEINERT KSS 3D Induction for improving product quality in the metals area, the STEINERT KSS XRT for separation according to material density or the STEINERT KSS 3D Color – the modular solution for your sorting task.

Naturally, the STEINERT KSS machines incorporate all of the proven and popular benefits for which STEINERT is renowned worldwide:

- technologically leading
- high efficiency
- good separation performance
- good separation results
- high availability
- maintenance friendly
- low operating costs





All STEINERT KSS machines are equipped with active valve control for up to 30 % lower compressed air consumption. The required air blast pressure and the number of the controlled compressed-air valves can be optimally adjusted. The nozzle bar is particularly exact thanks to its grid of pairs of nozzles spaced at 12.5 mm intervals. Your advantages: Optimised separation and reduced operating costs.

The STEINERT KSS machines are designed to meet your requirements: 1 m, 2 m and 3 m width are available. Whenever it's about obtaining raw materials, STEINERT is one of the top addresses – all around the world.

What sets us apart is our comprehensive expertise in processes and an incomparable breadth of expertise in technical sorting solutions.



STEINERT Elektromagnetbau GmbH

Widdersdorfer Straße 329-331

D-50933 Köln

Germany

Phone: +49 221 4984-0

Fax: +49 221 4984-102

sales@steinert.de

www.steinert.de

Subsidiaries:

North America

STEINERT US Inc.

285 Shorland Drive

Walton, KY 41094

U.S.A.

Phone: +1 800 595-4014

Fax: +1 800 511-8714

sales@steinertus.com

www.steinertus.com**Australia**

STEINERT Australia Pty. Ltd.

14 Longstaff Road

VIC 3153, Bayswater

Australia

Phone: +61 3 8720-0800

Fax: +61 3 8720-0888

sales@steinert.com.au

www.steinert.com.au**South America**

STEINERT Latinoamericana Ltda.

Rua Marechal Foch, 41-SL 303 Grajaú

30430-720 Belo Horizonte – MG

Brazil

Phone: +55 31 3372-7560

Fax: +55 31 3372-5995

sales@steinert.com.br

www.steinert.com.br**Japan**

STEINERT Japan CO. Ltd

2-7-4-1301 Aomi, Koto-ku

Tokyo 135-0064

Japan

Phone: +81 3 6457-1773

Fax: +81 3 5530-0330

sales@steinert.jp

www.steinert.jp**RTT STEINERT GmbH**

Hirschfelder Ring 9

D-02763 Zittau

Germany

Phone: +49 3583 540-840

Fax: +49 3583 540-8444

sales@steinert.de

www.unisort.de**Asia**

STEINERT Asia

9 Temasek Boulevard

Level 31, Suntec Tower 2

Singapore 038989

Phone: +65 6559 6170

sales@steinertasia.com

www.steinertasia.com

Technical alterations reserved.

Your local STEINERT consultants:

METATECH SDN BHD

T: +603-55199633

F: +603-55199636

E1: metatech@metatech.com.my

E2: metatech@streamyx.com

